



## 乾式多板電磁ブレーキ

1.2形、2.5形、5形、10形、20形、40形、80形

トルク: 12~800N·m





形	番	МС	В	1.2N	2.5N	5 N	10N	20N	40N	80N
動摩	動摩擦トルク 〔N·m〕			12	25	50	100	200	400	800
静摩擦トルク		( N·m )		17	35	70	140	280	560	1120
慣	性	J×10 <sup>-4</sup> (kg⋅	m²)	3	6	14	34	61	249	715
穴		径 d⊩	7	20	25	30	40	50	60	70
+	ー み	ぞ be9×t†	0.2	6×21.7	8×26.7	8×32	12×42.5	14×52.5	18×63	20×75
径 方 向	A		82	97	114	135	157	197	237	
	С		62	74	86	104	126	156	190	
		D <sub>H8</sub>		42	50	58	75	92	106	128
		F		4 M5	4 M6	4 M6	6 M6	6 M8	6 M10	6 M12
		L		45	48	55	60	68	76	96
軸	N P ±0.3 Q		28	30	34	43	50	62	82	
方			17	18	21	17	18	14	14	
向			4	4	5	5	6	8	8	
		T		5	6	6	6	8	10	12
質		量 〔k	g )	1.3	1.7	2.6	4	6.5	12	22

付属品:保護素子